ELSEVIER

Neuroscience Letters 351 (2003) 214–216

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 351

Volume 351, no. 1

Phenotypic diversity of smooth muscle cells isolated from human intracranial basilar artery
Z. Wang, P.J. Rao, S.D. Shillcutt, W.H. Newman (USA) 1

Dose ratio is important in maximizing naloxone enhancement of nalbuphine analgesia in humans
R.W. Gear, N.C. Gordon, C. Miaskowski, S.M. Paul, P.H. Heller, J.D. Levine (USA) 5

Anti-kindling effect of slow repetitive transcranial magnetic stimulation in rats
D.J. Anschel, A. Pascual-Leone, G.L. Holmes (USA) 9

Excitatory effects of oxytocin and cholecystokinin on oxytocin neurones: differences between virgin, pregnant and lactating rats
S.J. Carter, C.M. Richardson, J.B. Wakerley (UK) 13

Neonatal enucleation reduces the proportion of callosal boutons forming multiple synaptic contacts in rat striate cortex
S.A. Sorensen, T.A. Jones, J.F. Olavarria (USA) 17

Bimodal circadian expression of serotonin *N*-acetyltransferase mRNA in the retina of rats under restricted feeding
K. Oishi, K. Sakamoto, N. Ishida (Japan) 21

Histamine elicits neuronal excitatory response of red nucleus in the rat via H_2 receptors in vitro
K. Chen, J.-N. Zhu, H.-Z. Li, J.-J. Wang (China) 25

α-Synuclein expression in HEK293 cells enhances the mitochondrial sensitivity to rotenone
M. Orth, S.J. Tabrizi, A.H.V. Schapira, J.M. Cooper (UK) 29

'Thought' – control of functional electrical stimulation to restore hand grasp in a patient with tetraplegia
G. Pfurtscheller, G.R. Müller, J. Pfurtscheller, H.J. Gerner, R. Rupp (Austria, Germany) 33

Distribution of μ receptors in the ventral respiratory group neurons; immunohistochemical and pharmacological studies in decerebrate cats
A. Haji, H. Yamazaki, Y. Ohi, R. Takeda (Japan) 37

Depolarization of PC12 cells induces neurite outgrowth and enhances nerve growth factor-induced neurite outgrowth in rats
C.L. Howe (USA) 41

Integration of heard and seen speech: a factor in learning disabilities in children
E.A. Hayes, K. Tiippana, T.G. Nicol, M. Sams, N. Kraus (USA, Finland) 46

Enhanced expression of transforming growth factor-beta isoforms in the neural tube of embryos derived from diabetic mice exposed to cyclophosphamide
Q. Lian, T.S.W. Samuel, S.T. Dheen (Singapore) 51

Behavioral reinforcement of long-term potentiation in rat dentate gyrus in vivo is protein synthesis-dependent
J.A. Bergado, W. Almaguer-Melian, S. Kostenko, S. Frey, J.U. Frey (Cuba, Germany) 56

Volume 351, no. 2

Role of tachykinin NK_1, NK_2 and NK_3 receptors in the modulation of visceral hypersensitivity in the rat
G.-A. Gaudreau, V. Plourde (Canada) 59

Trigeminal primary afferent projections to the peribrachial area in the guinea pig
L.A.G. Segade (Spain) 63

Body equilibrium at the end of gait initiation: importance of ankle muscular force as evidenced in clubfoot children
P. Wicart, B. Maton (France) 67

Rat oligodendroglial cell lines express a functional receptor for the chemokine CCL3 (macrophage inflammatory protein-1alpha)
D. Nguyen, M. Höpfner, F. Zobel, U. Henke, H. Scherübl, M. Stangel (Germany) 71

NACP-REP1 polymorphism is not involved in Parkinson's disease: a case-control study in a population sample from southern Italy
P. Spadafora, G. Annesi, A.A. Pasqua, P. Serra, I.C. Cirò Candiano, S. Carrideo, P. Tarantino, D. Civitelli, E.V. De Marco,

ELSEVIER

Neuroscience Letters 351 (2003) 214–216

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 351

Volume 351, no. 1

Phenotypic diversity of smooth muscle cells isolated from human intracranial basilar artery
Z. Wang, P.J. Rao, S.D. Shillcutt, W.H. Newman (USA) 1

Dose ratio is important in maximizing naloxone enhancement of nalbuphine analgesia in humans
R.W. Gear, N.C. Gordon, C. Miaskowski, S.M. Paul, P.H. Heller, J.D. Levine (USA) 5

Anti-kindling effect of slow repetitive transcranial magnetic stimulation in rats
D.J. Anschel, A. Pascual-Leone, G.L. Holmes (USA) 9

Excitatory effects of oxytocin and cholecystokinin on oxytocin neurones: differences between virgin, pregnant and lactating rats
S.J. Carter, C.M. Richardson, J.B. Wakerley (UK) 13

Neonatal enucleation reduces the proportion of callosal boutons forming multiple synaptic contacts in rat striate cortex
S.A. Sorensen, T.A. Jones, J.F. Olavarria (USA) 17

Bimodal circadian expression of serotonin *N*-acetyltransferase mRNA in the retina of rats under restricted feeding
K. Oishi, K. Sakamoto, N. Ishida (Japan) 21

Histamine elicits neuronal excitatory response of red nucleus in the rat via H_2 receptors in vitro
K. Chen, J.-N. Zhu, H.-Z. Li, J.-J. Wang (China) 25

α-Synuclein expression in HEK293 cells enhances the mitochondrial sensitivity to rotenone
M. Orth, S.J. Tabrizi, A.H.V. Schapira, J.M. Cooper (UK) 29

'Thought' – control of functional electrical stimulation to restore hand grasp in a patient with tetraplegia
G. Pfurtscheller, G.R. Müller, J. Pfurtscheller, H.J. Gerner, R. Rupp (Austria, Germany) 33

Distribution of μ receptors in the ventral respiratory group neurons; immunohistochemical and pharmacological studies in decerebrate cats
A. Haji, H. Yamazaki, Y. Ohi, R. Takeda (Japan) 37

Depolarization of PC12 cells induces neurite outgrowth and enhances nerve growth factor-induced neurite outgrowth in rats
C.L. Howe (USA) 41

Integration of heard and seen speech: a factor in learning disabilities in children
E.A. Hayes, K. Tiippana, T.G. Nicol, M. Sams, N. Kraus (USA, Finland) 46

Enhanced expression of transforming growth factor-beta isoforms in the neural tube of embryos derived from diabetic mice exposed to cyclophosphamide
Q. Lian, T.S.W. Samuel, S.T. Dheen (Singapore) 51

Behavioral reinforcement of long-term potentiation in rat dentate gyrus in vivo is protein synthesis-dependent
J.A. Bergado, W. Almaguer-Melian, S. Kostenko, S. Frey, J.U. Frey (Cuba, Germany) 56

Volume 351, no. 2

Role of tachykinin NK_1, NK_2 and NK_3 receptors in the modulation of visceral hypersensitivity in the rat
G.-A. Gaudreau, V. Plourde (Canada) 59

Trigeminal primary afferent projections to the peribrachial area in the guinea pig
L.A.G. Segade (Spain) 63

Body equilibrium at the end of gait initiation: importance of ankle muscular force as evidenced in clubfoot children
P. Wicart, B. Maton (France) 67

Rat oligodendroglial cell lines express a functional receptor for the chemokine CCL3 (macrophage inflammatory protein-1alpha)
D. Nguyen, M. Höpfner, F. Zobel, U. Henke, H. Scherübl, M. Stangel (Germany) 71

NACP-REP1 polymorphism is not involved in Parkinson's disease: a case-control study in a population sample from southern Italy
P. Spadafora, G. Annesi, A.A. Pasqua, P. Serra, I.C. Cirò Candiano, S. Carrideo, P. Tarantino, D. Civitelli, E.V. De Marco,

G. Nicoletti, F. Annesi, A. Quattrone (Italy) 75
Vagus nerve stimulation attenuates heat- and formalin-induced pain in rats
C. Bohotin, M. Scholsem, V. Bohotin, R. Franzen, J. Schoenen (Belgium) 79
Resveratrol promotes differentiation and induces Fas-independent apoptosis of human medulloblastoma cells
Q. Wang, H. Li, X.-W. Wang, D.-c. Wu, X.-Y. Chen, J. Liu (PR China) 83
Thalamocortical cells in the cat pulvinar nucleus transiently express nitric oxide synthase during development
W.B. Carden, W. Guido, D.W. Godwin, M.E. Bickford (USA) 87
Neonatal depletion of serotonin increases the numbers of callosally projecting neurons in cat visual areas 17 and 18
R.L. Djavadian, E. Wielkopolska, K. Turlejski (Poland) 91
Effects of acetylcholine antagonist injection into the prefrontal cortex on the progress of lever-press extinction in rats
K. Maruki, Y. Izaki, T. Akema, M. Nomura (Japan) 95
The influence of handedness and gender on the microstructure of the human corpus callosum: a diffusion-tensor magnetic resonance imaging study
R. Westerhausen, C. Walter, F. Kreuder, R.A. Wittling, E. Schweiger, W. Wittling (Germany) 99
Prefrontal theta oscillations associated with hand movements triggered by warning and imperative stimuli in the monkey
T. Tsujimoto, H. Shimazu, Y. Isomura, K. Sasaki (Japan) 103
Gonadotropin-releasing hormones modulate electrical activity of vasotocin and isotocin neurons in the brain of rainbow trout
D. Saito, Y. Hasegawa, A. Urano (Japan) 107
Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indistinguishable from controls
E. Shimizu, K. Hashimoto, H. Watanabe, N. Komatsu, N. Okamura, K. Koike, N. Shinoda, M. Nakazato, C. Kumakiri, S.-i. Okada, M. Iyo (Japan) 111
Orexin-immunoreactive inputs to rat sympathetic preganglionic neurons
I.J. Llewellyn-Smith, C.L. Martin, J.N. Marcus, M. Yanagisawa, J.B. Minson, T.E. Scammell (Australia, USA) 115
Transduction of neurons lining the cerebral external capsules in mice with feline immunodeficiency virus based vectors
J.M. Alisky, S.M. Hughes, B.L. Davidson (USA) 120
Mutation analysis of the neurofilament M gene in Parkinson's disease
R. Krüger, C. Fischer, T. Schulte, K.M. Strauss, T. Müller, D. Woitalla, D. Berg, M. Hungs, R. Gobbele, K. Berger, J.T. Epplen, O. Riess, L. Schöls (Germany, USA) 125
Control of orientation of rat Schwann cells using an 8-T static magnetic field
Y. Eguchi, M. Ogiue-Ikeda, S. Ueno (Japan) 130

Volume 351, no. 3

Effect of JTC-801 (nociceptin antagonist) on neuropathic pain in a rat model
H. Suyama, M. Kawamoto, S. Gaus, O. Yuge (Japan) 133
Reactive oxygen species play an important role in iodoacetate-induced neurotoxicity in primary rat neuronal cultures and in differentiated PC12 cells
O. Sperling, Y. Bromberg, H. Oelsner, E. Zoref-Shani (Israel) 137
Sensory asymmetries in the olfactory system underlie sexual pheromone communication in the cockroach *Nauphoeta cinerea*
L. Sreng (France) 141
Fluorescent detection of Ca^{2+}-permeable AMPA/kainate receptor activation in murine neocortical neurons
S.M. Dravid, T.F. Murray (USA) 145
Neuroprotection by human neural progenitor cells after experimental contusion in rats
M. Hagan, A. Wennersten, X. Meijer, S. Holmin, L. Wahlberg, T. Mathiesen (Sweden, Denmark) 149
Altered excitability of motor neurons in a transgenic mouse model of familial amyotrophic lateral sclerosis
M. Pieri, F. Albo, C. Gaetti, A. Spalloni, C.P. Bengtson, P. Longone, S. Cavalcanti, C. Zona (Italy) 153
Physiological phenotyping of cholecystokinin-responsive rat taste receptor cells
S.-g. Lu, F.-l. Zhao, S. Herness (USA) 157
The role of exogenous testosterone in cocaine-induced behavioral sensitization and plasmalemmal or vesicular dopamine uptake in castrated rats
R. Chen, G. Osterhaus, T. McKerchar, S.C. Fowler (USA) 161
The influence of developmental periods of sodium valproate exposure on synaptic plasticity in the CA1 region of rat hippocampus
M.-M. Zhang, K. Yu, C. Xiao, D.-Y. Ruan (PR China) 165
Withdrawal from chronic cocaine up-regulates 5-HT_{1B} receptors in the rat brain
E. Przegaliński, K. Czepiel, E. Nowak, D. Dlaboga, M.s. Filip (Poland) 169
Neuroprotective effect of the neurotensin analogue JMV-449 in a mouse model of permanent middle cerebral ischaemia
L. Torup, J. Borsdal, T. Sager (Denmark) 173
The glutamatergic *N*-methyl-D-aspartate and non-*N*-methyl-D-aspartate receptors in the joint contribute to the induction, but not maintenance, of arthritic pain in rats
G.H. Zhang, Y.W. Yoon, K.S. Lee, S.S. Min, S.K. Hong, J.Y. Park, H.C. Han (South Korea) 177

Peripheral axon crush elevates transport of $p75^{NTR}$ in the central projection of sensory neurones of rats
J.-D. Delcroix, J. Patel, S. Averill, D.R. Tomlinson, J.V. Priestley, P. Fernyhough (UK) 181

A unilateral 6-hydroxydopamine lesion decreases the expression of metabotropic glutamate receptors in rat substantia nigra
B. Gu, Y.-D. Zhang, G. Hu (China) 186

Modulatory effect of inaudible high-frequency sounds on human acoustic perception
R. Yagi, E. Nishina, M. Honda, T. Oohashi (Japan) 191

The contribution of proline 250 (P-2′) to pore diameter and ion selectivity in the human glycine receptor channel
D.J.-S. Lee, A. Keramidas, A.J. Moorhouse, P.R. Schofield, P.H. Barry (Australia) 196

The US3 protein kinase of herpes simplex virus attenuates the activation of the c-Jun N-terminal protein kinase signal transduction pathway in infected piriform cortex neurons of C57BL/6 mice
I. Mori, F. Goshima, T. Koshizuka, N. Koide, T. Sugiyama, T. Yoshida, T. Yokochi, Y. Kimura, Y. Nishiyama (Japan) 201

Up-regulation of microtubule-associated protein 4 and drebrin A mRNA expression by antidepressants in rat hippocampus following chronic stress
H.-J. Yang, Y.-F. Li, H.-T. Zhang, F.-Q. Zhang, N. Zhao, Z.-H. Gong, Z.-P. Luo (China) 206

Erratum to "Role of glutamate receptors and an on-going protein synthesis in the regulation of phosphorylation of Ca^{2+}/calmodulin-dependent protein kinase II in the CA3 hippocampal region in mice administered with kainic acid intracerebroventricularly" [Neuroscience Letters 348 (2003) 93–96]
H.-K. Lee, S.-S. Choi, E.-J. Han, K.-J. Han, H.-W. Suh (South Korea) 209

Author Index 210
Volume Contents 214